

Schema XmlCreditosGastos.xsd

schema location: <\\SGPF-NEXUS\Areas\UnidadA\Quanto\Opciones\2014\2014DenominacionImportes\XmlCreditosGastos.xsd>
 attribute form: **unqualified**
 default:
 element form: **qualified**
 default:
 targetNamespace: **http://sgpfc.igae.minhac.es/Quanto/CreditosGastos**

Elements
[Fichero](#)

element Fichero

diagram	<p> Fichero: Elemento raíz de toda respuesta ParamMoneda: CreditoGasto: Representa una fila de datos de gastos. </p>
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosGastos
properties	content complex
children	ParamMoneda CreditoGasto
annotation	documentation Elemento raíz de toda respuesta
source	<pre> <xsd:element name="Fichero"> <xsd:annotation> <xsd:documentation>Elemento raíz de toda respuesta</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element name="ParamMoneda"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="numeroDecimales" type="xsd:string"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> <xsd:element name="CreditoGasto" minOccurs="0"> <xsd:annotation> <xsd:documentation>Representa una fila de datos de gastos.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element name="Credito" maxOccurs="unbounded"> <xsd:complexType> <xsd:sequence minOccurs="0" maxOccurs="3"> <xsd:element name="RepartoDGP" minOccurs="0"> <xsd:complexType> </pre>

```

<xsd:sequence maxOccurs="unbounded">
  <xsd:element name="PorcentajeProvincia">
    <xsd:complexType>
      <xsd:attribute name="provincia" type="xsd:string" use="required"/>
      <xsd:attribute name="porcentaje" type="xsd:string" use="required"/>
      <xsd:attribute name="importe" type="xsd:decimal" use="optional"/>
    </xsd:complexType>
  </xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="RepartoOP" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence maxOccurs="unbounded">
      <xsd:element name="PorcentajeProvincia">
        <xsd:complexType>
          <xsd:attribute name="provincia" type="xsd:string" use="required"/>
          <xsd:attribute name="porcentaje" type="xsd:string" use="required"/>
          <xsd:attribute name="importe" type="xsd:decimal" use="optional"/>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="RepartoCG" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence maxOccurs="unbounded">
      <xsd:element name="PorcentajeProvincia">
        <xsd:complexType>
          <xsd:attribute name="provincia" type="xsd:string" use="required"/>
          <xsd:attribute name="porcentaje" type="xsd:string" use="required"/>
          <xsd:attribute name="importe" type="xsd:decimal" use="optional"/>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
</xsd:sequence>
<xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
<xsd:attribute name="subsector" type="xsd:string" use="required"/>
<xsd:attribute name="seccion" type="xsd:string" use="required"/>
<xsd:attribute name="organismo" type="xsd:string" use="required"/>
<xsd:attribute name="programa" type="xsd:string" use="required"/>
<xsd:attribute name="tipo" type="xsd:string" use="required"/>
<xsd:attribute name="economica" type="xsd:string" use="required"/>
<xsd:attribute name="agente" type="xsd:string" use="optional"/>
<xsd:attribute name="entidad" type="xsd:string" use="optional"/>
<xsd:attribute name="inicial" type="xsd:decimal" use="optional"/>
<xsd:attribute name="ajustes" type="xsd:decimal" use="optional"/>
<xsd:attribute name="reorganizaciones" type="xsd:decimal" use="optional"/>
<xsd:attribute name="consolidaciones" type="xsd:decimal" use="optional"/>
<xsd:attribute name="transferencias" type="xsd:decimal" use="optional"/>
<xsd:attribute name="reclasificaciones" type="xsd:decimal" use="optional"/>
<xsd:attribute name="base" type="xsd:decimal" use="optional"/>
<xsd:attribute name="variaciones" type="xsd:decimal" use="optional"/>
<xsd:attribute name="propuestadgp" type="xsd:decimal" use="optional"/>

```

```

<xsd:attribute name="propuestaop" type="xsd:decimal" use="optional"/>
<xsd:attribute name="propuestacg" type="xsd:decimal" use="optional"/>
<xsd:attribute name="comunidaddgp" type="xsd:string" use="optional"/>
<xsd:attribute name="provinciadgp" type="xsd:string" use="optional"/>
<xsd:attribute name="comunidadop" type="xsd:string" use="optional"/>
<xsd:attribute name="provinciaop" type="xsd:string" use="optional"/>
<xsd:attribute name="comunidadcg" type="xsd:string" use="optional"/>
<xsd:attribute name="provinciacg" type="xsd:string" use="optional"/>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

element Fichero/ParamMoneda

diagram	<p>The diagram shows a rectangular box labeled 'ParamMoneda' with a small square icon on its left side. A line connects this box to another box labeled 'numeroDecimales', which is enclosed in a dashed border. Above the 'numeroDecimales' box is a label 'attributes' with a small square icon, indicating that 'numeroDecimales' is an attribute of 'ParamMoneda'.</p>												
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosGastos												
type	extension of xsd:string												
properties	isRef 0 content complex												
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>numeroDecimales</td> <td>xsd:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	numeroDecimales	xsd:string				
Name	Type	Use	Default	Fixed	annotation								
numeroDecimales	xsd:string												
source	<pre> <xsd:element name="ParamMoneda"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="numeroDecimales" type="xsd:string"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>												

attribute Fichero/ParamMoneda/@numeroDecimales

type	xsd:string
properties	isRef 0
source	<pre><xsd:attribute name="numeroDecimales" type="xsd:string"/></pre>


element Fichero/CreditoGasto

diagram	<p>Representa una fila de datos de gastos.</p>
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosGastos
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	Credito
annotation	documentation Representa una fila de datos de gastos.
source	<pre> <xsd:element name="CreditoGasto" minOccurs="0"> <xsd:annotation> <xsd:documentation>Representa una fila de datos de gastos.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element name="Credito" maxOccurs="unbounded"> <xsd:complexType> <xsd:sequence minOccurs="0" maxOccurs="3"> <xsd:element name="RepartoDGP" minOccurs="0"> <xsd:complexType> <xsd:sequence maxOccurs="unbounded"> <xsd:element name="PorcentajeProvincia"> <xsd:complexType> <xsd:attribute name="provincia" type="xsd:string" use="required"/> <xsd:attribute name="porcentaje" type="xsd:string" use="required"/> <xsd:attribute name="importe" type="xsd:decimal" use="optional"/> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> <xsd:element name="RepartoOP" minOccurs="0"> <xsd:complexType> <xsd:sequence maxOccurs="unbounded"> <xsd:element name="PorcentajeProvincia"> <xsd:complexType> <xsd:attribute name="provincia" type="xsd:string" use="required"/> <xsd:attribute name="porcentaje" type="xsd:string" use="required"/> <xsd:attribute name="importe" type="xsd:decimal" use="optional"/> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> <xsd:element name="RepartoCG" minOccurs="0"> <xsd:complexType> <xsd:sequence maxOccurs="unbounded"> <xsd:element name="PorcentajeProvincia"> <xsd:complexType> <xsd:attribute name="provincia" type="xsd:string" use="required"/> <xsd:attribute name="porcentaje" type="xsd:string" use="required"/> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

```
        <xsd:attribute name="importe" type="xsd:decimal" use="optional"/>
    </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
<xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
<xsd:attribute name="subsector" type="xsd:string" use="required"/>
<xsd:attribute name="seccion" type="xsd:string" use="required"/>
<xsd:attribute name="organismo" type="xsd:string" use="required"/>
<xsd:attribute name="programa" type="xsd:string" use="required"/>
<xsd:attribute name="tipo" type="xsd:string" use="required"/>
<xsd:attribute name="economica" type="xsd:string" use="required"/>
<xsd:attribute name="agente" type="xsd:string" use="optional"/>
<xsd:attribute name="entidad" type="xsd:string" use="optional"/>
<xsd:attribute name="inicial" type="xsd:decimal" use="optional"/>
<xsd:attribute name="ajustes" type="xsd:decimal" use="optional"/>
<xsd:attribute name="reorganizaciones" type="xsd:decimal" use="optional"/>
<xsd:attribute name="consolidaciones" type="xsd:decimal" use="optional"/>
<xsd:attribute name="transferencias" type="xsd:decimal" use="optional"/>
<xsd:attribute name="reclasificaciones" type="xsd:decimal" use="optional"/>
<xsd:attribute name="base" type="xsd:decimal" use="optional"/>
<xsd:attribute name="variaciones" type="xsd:decimal" use="optional"/>
<xsd:attribute name="propuestadgp" type="xsd:decimal" use="optional"/>
<xsd:attribute name="propuestaop" type="xsd:decimal" use="optional"/>
<xsd:attribute name="propuestacg" type="xsd:decimal" use="optional"/>
<xsd:attribute name="comunidaddgp" type="xsd:string" use="optional"/>
<xsd:attribute name="provinciadgp" type="xsd:string" use="optional"/>
<xsd:attribute name="comunidadop" type="xsd:string" use="optional"/>
<xsd:attribute name="provinciaop" type="xsd:string" use="optional"/>
<xsd:attribute name="comunidadcg" type="xsd:string" use="optional"/>
<xsd:attribute name="provinciacg" type="xsd:string" use="optional"/>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
```

element **Fichero/CreditoGasto/Credito**

diagram



namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosGastos							
properties	isRef	0	minOcc	1	maxOcc	unbounded	content	complex
children	RepartoDGP RepartoOP RepartoCG							
attributes	Name	Type	Use	Default	Fixed	annotation		
	ejercicio	xsd:string	required					
	subsector	xsd:string	required					
	seccion	xsd:string	required					
	organismo	xsd:string	required					
	programa	xsd:string	required					
	tipo	xsd:string	required					
	economica	xsd:string	required					
	agente	xsd:string	optional					
	entidad	xsd:string	optional					
	inicial	xsd:decimal	optional					
	ajustes	xsd:decimal	optional					
	reorganizaciones	xsd:decimal	optional					
	consolidaciones	xsd:decimal	optional					
	transferencias	xsd:decimal	optional					
	reclasificaciones	xsd:decimal	optional					
	base	xsd:decimal	optional					
	variaciones	xsd:decimal	optional					
	propuestadgp	xsd:decimal	optional					
	propuestaop	xsd:decimal	optional					
	propuestacg	xsd:decimal	optional					
	comunidaddgp	xsd:string	optional					
	provinciadgp	xsd:string	optional					
	comunidadop	xsd:string	optional					
	provinciaop	xsd:string	optional					
	comunidadcg	xsd:string	optional					
	provinciacg	xsd:string	optional					
source	<pre> <xsd:element name="Credito" maxOccurs="unbounded"> <xsd:complexType> <xsd:sequence minOccurs="0" maxOccurs="3"> <xsd:element name="RepartoDGP" minOccurs="0"> <xsd:complexType> <xsd:sequence maxOccurs="unbounded"> <xsd:element name="PorcentajeProvincia"> <xsd:complexType> <xsd:attribute name="provincia" type="xsd:string" use="required"/> <xsd:attribute name="porcentaje" type="xsd:string" use="required"/> <xsd:attribute name="importe" type="xsd:decimal" use="optional"/> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> <xsd:element name="RepartoOP" minOccurs="0"> </pre>							


```

<xsd:complexType>
  <xsd:sequence maxOccurs="unbounded">
    <xsd:element name="PorcentajeProvincia">
      <xsd:complexType>
        <xsd:attribute name="provincia" type="xsd:string" use="required"/>
        <xsd:attribute name="porcentaje" type="xsd:string" use="required"/>
        <xsd:attribute name="importe" type="xsd:decimal" use="optional"/>
      </xsd:complexType>
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="RepartoCG" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence maxOccurs="unbounded">
      <xsd:element name="PorcentajeProvincia">
        <xsd:complexType>
          <xsd:attribute name="provincia" type="xsd:string" use="required"/>
          <xsd:attribute name="porcentaje" type="xsd:string" use="required"/>
          <xsd:attribute name="importe" type="xsd:decimal" use="optional"/>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
</xsd:sequence>
<xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
<xsd:attribute name="subsector" type="xsd:string" use="required"/>
<xsd:attribute name="seccion" type="xsd:string" use="required"/>
<xsd:attribute name="organismo" type="xsd:string" use="required"/>
<xsd:attribute name="programa" type="xsd:string" use="required"/>
<xsd:attribute name="tipo" type="xsd:string" use="required"/>
<xsd:attribute name="economica" type="xsd:string" use="required"/>
<xsd:attribute name="agente" type="xsd:string" use="optional"/>
<xsd:attribute name="entidad" type="xsd:string" use="optional"/>
<xsd:attribute name="inicial" type="xsd:decimal" use="optional"/>
<xsd:attribute name="ajustes" type="xsd:decimal" use="optional"/>
<xsd:attribute name="reorganizaciones" type="xsd:decimal" use="optional"/>
<xsd:attribute name="consolidaciones" type="xsd:decimal" use="optional"/>
<xsd:attribute name="transferencias" type="xsd:decimal" use="optional"/>
<xsd:attribute name="reclasificaciones" type="xsd:decimal" use="optional"/>
<xsd:attribute name="base" type="xsd:decimal" use="optional"/>
<xsd:attribute name="variaciones" type="xsd:decimal" use="optional"/>
<xsd:attribute name="propuestadgp" type="xsd:decimal" use="optional"/>
<xsd:attribute name="propuestaop" type="xsd:decimal" use="optional"/>
<xsd:attribute name="propuestacg" type="xsd:decimal" use="optional"/>
<xsd:attribute name="comunidaddgp" type="xsd:string" use="optional"/>
<xsd:attribute name="provinciadgp" type="xsd:string" use="optional"/>
<xsd:attribute name="comunidadop" type="xsd:string" use="optional"/>
<xsd:attribute name="provinciaop" type="xsd:string" use="optional"/>
<xsd:attribute name="comunidadcg" type="xsd:string" use="optional"/>
<xsd:attribute name="provinciacg" type="xsd:string" use="optional"/>
</xsd:complexType>
</xsd:element>

```

attribute Fichero/CreditoGasto/Credito/@ejercicio

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="ejercicio" type="xsd:string" use="required"/>

attribute Fichero/CreditoGasto/Credito/@subsector

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="subsector" type="xsd:string" use="required"/>

attribute Fichero/CreditoGasto/Credito/@seccion

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="seccion" type="xsd:string" use="required"/>

attribute Fichero/CreditoGasto/Credito/@organismo

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="organismo" type="xsd:string" use="required"/>

attribute Fichero/CreditoGasto/Credito/@programa

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="programa" type="xsd:string" use="required"/>

attribute Fichero/CreditoGasto/Credito/@tipo

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="tipo" type="xsd:string" use="required"/>

attribute Fichero/CreditoGasto/Credito/@economica

type	xsd:string
properties	isRef 0 use required

source	<xsd:attribute name="economica" type="xsd:string" use="required"/>
--------	--

attribute Fichero/CreditoGasto/Credito/@agente

type	xsd:string
properties	isRef 0 use optional
source	<xsd:attribute name="agente" type="xsd:string" use="optional"/>

attribute Fichero/CreditoGasto/Credito/@entidad

type	xsd:string
properties	isRef 0 use optional
source	<xsd:attribute name="entidad" type="xsd:string" use="optional"/>

attribute Fichero/CreditoGasto/Credito/@inicial

type	xsd:decimal
properties	isRef 0 use optional
source	<xsd:attribute name="inicial" type="xsd:decimal" use="optional"/>

attribute Fichero/CreditoGasto/Credito/@ajustes

type	xsd:decimal
properties	isRef 0 use optional
source	<xsd:attribute name="ajustes" type="xsd:decimal" use="optional"/>

attribute Fichero/CreditoGasto/Credito/@reorganizaciones

type	xsd:decimal
properties	isRef 0 use optional
source	<xsd:attribute name="reorganizaciones" type="xsd:decimal" use="optional"/>

attribute Fichero/CreditoGasto/Credito/@consolidaciones

type	xsd:decimal
properties	isRef 0 use optional
source	<xsd:attribute name="consolidaciones" type="xsd:decimal" use="optional"/>

attribute Fichero/CreditoGasto/Credito/@transferencias

type	xsd:decimal
------	-------------

properties	isRef 0 use optional
source	<xsd:attribute name="transferencias" type="xsd:decimal" use="optional"/>

attribute Fichero/CreditoGasto/Credito/@reclasificaciones

type	xsd:decimal
properties	isRef 0 use optional
source	<xsd:attribute name="reclasificaciones" type="xsd:decimal" use="optional"/>

attribute Fichero/CreditoGasto/Credito/@base

type	xsd:decimal
properties	isRef 0 use optional
source	<xsd:attribute name="base" type="xsd:decimal" use="optional"/>

attribute Fichero/CreditoGasto/Credito/@variaciones

type	xsd:decimal
properties	isRef 0 use optional
source	<xsd:attribute name="variaciones" type="xsd:decimal" use="optional"/>

attribute Fichero/CreditoGasto/Credito/@propuestadgp

type	xsd:decimal
properties	isRef 0 use optional
source	<xsd:attribute name="propuestadgp" type="xsd:decimal" use="optional"/>

attribute Fichero/CreditoGasto/Credito/@propuestaop

type	xsd:decimal
properties	isRef 0 use optional
source	<xsd:attribute name="propuestaop" type="xsd:decimal" use="optional"/>

attribute Fichero/CreditoGasto/Credito/@propuestacg

type	xsd:decimal
properties	isRef 0 use optional
source	<xsd:attribute name="propuestacg" type="xsd:decimal" use="optional"/>

attribute **Fichero/CreditoGasto/Credito/@comunidaddgp**

type	xsd:string
properties	isRef 0 use optional
source	<code><xsd:attribute name="comunidaddgp" type="xsd:string" use="optional"/></code>

attribute **Fichero/CreditoGasto/Credito/@provinciadgp**

type	xsd:string
properties	isRef 0 use optional
source	<code><xsd:attribute name="provinciadgp" type="xsd:string" use="optional"/></code>

attribute **Fichero/CreditoGasto/Credito/@comunidadop**

type	xsd:string
properties	isRef 0 use optional
source	<code><xsd:attribute name="comunidadop" type="xsd:string" use="optional"/></code>

attribute **Fichero/CreditoGasto/Credito/@provinciaop**

type	xsd:string
properties	isRef 0 use optional
source	<code><xsd:attribute name="provinciaop" type="xsd:string" use="optional"/></code>

attribute **Fichero/CreditoGasto/Credito/@comunidadcg**

type	xsd:string
properties	isRef 0 use optional
source	<code><xsd:attribute name="comunidadcg" type="xsd:string" use="optional"/></code>

attribute **Fichero/CreditoGasto/Credito/@provinciacg**

type	xsd:string
properties	isRef 0 use optional
source	<code><xsd:attribute name="provinciacg" type="xsd:string" use="optional"/></code>

element **Fichero/CreditoGasto/Credito/RepartoDGP**

diagram	
namespace	<code>http://sgpfc.igae.minhac.es/Quanto/CreditosGastos</code>

properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	PorcentajeProvincia
source	<pre> <xsd:element name="RepartoDGP" minOccurs="0"> <xsd:complexType> <xsd:sequence maxOccurs="unbounded"> <xsd:element name="PorcentajeProvincia"> <xsd:complexType> <xsd:attribute name="provincia" type="xsd:string" use="required"/> <xsd:attribute name="porcentaje" type="xsd:string" use="required"/> <xsd:attribute name="importe" type="xsd:decimal" use="optional"/> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

element **Fichero/CreditoGasto/Credito/RepartoDGP/PorcentajeProvincia**

diagram																									
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosGastos																								
properties	isRef 0 content complex																								
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>provincia</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>porcentaje</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>importe</td> <td>xsd:decimal</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	provincia	xsd:string	required				porcentaje	xsd:string	required				importe	xsd:decimal	optional			
Name	Type	Use	Default	Fixed	annotation																				
provincia	xsd:string	required																							
porcentaje	xsd:string	required																							
importe	xsd:decimal	optional																							
source	<pre> <xsd:element name="PorcentajeProvincia"> <xsd:complexType> <xsd:attribute name="provincia" type="xsd:string" use="required"/> <xsd:attribute name="porcentaje" type="xsd:string" use="required"/> <xsd:attribute name="importe" type="xsd:decimal" use="optional"/> </xsd:complexType> </xsd:element> </pre>																								

attribute **Fichero/CreditoGasto/Credito/RepartoDGP/PorcentajeProvincia/@provincia**

type	xsd:string
properties	isRef 0 use required
source	<pre> <xsd:attribute name="provincia" type="xsd:string" use="required"/> </pre>


attribute **Fichero/CreditoGasto/Credito/RepartoDGP/PorcentajeProvincia/@porcentaje**

type	xsd:string
properties	isRef 0 use required
source	<xsd:attribute name="porcentaje" type="xsd:string" use="required"/>


attribute **Fichero/CreditoGasto/Credito/RepartoDGP/PorcentajeProvincia/@importe**

type	xsd:decimal
properties	isRef 0 use optional
source	<xsd:attribute name="importe" type="xsd:decimal" use="optional"/>

element **Fichero/CreditoGasto/Credito/RepartoOP**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosGastos
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	PorcentajeProvincia
source	<pre> <xsd:element name="RepartoOP" minOccurs="0"> <xsd:complexType> <xsd:sequence maxOccurs="unbounded"> <xsd:element name="PorcentajeProvincia"> <xsd:complexType> <xsd:attribute name="provincia" type="xsd:string" use="required"/> <xsd:attribute name="porcentaje" type="xsd:string" use="required"/> <xsd:attribute name="importe" type="xsd:decimal" use="optional"/> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

element **Fichero/CreditoGasto/Credito/RepartoOP/PorcentajeProvincia**

diagram	
---------	---

namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosGastos					
properties	isRef	0	content	complex		
attributes	Name	Type	Use	Default	Fixed	annotation
	provincia	xsd:string	required			
	porcentaje	xsd:string	required			
	importe	xsd:decimal	optional			
source	<pre><xsd:element name="PorcentajeProvincia"> <xsd:complexType> <xsd:attribute name="provincia" type="xsd:string" use="required"/> <xsd:attribute name="porcentaje" type="xsd:string" use="required"/> <xsd:attribute name="importe" type="xsd:decimal" use="optional"/> </xsd:complexType> </xsd:element></pre>					

attribute **Fichero/CreditoGasto/Credito/RepartoOP/PorcentajeProvincia/@provincia**

type	xsd:string
properties	isRef 0 use required
source	<pre><xsd:attribute name="provincia" type="xsd:string" use="required"/></pre>

attribute **Fichero/CreditoGasto/Credito/RepartoOP/PorcentajeProvincia/@porcentaje**

type	xsd:string
properties	isRef 0 use required
source	<pre><xsd:attribute name="porcentaje" type="xsd:string" use="required"/></pre>

attribute **Fichero/CreditoGasto/Credito/RepartoOP/PorcentajeProvincia/@importe**

type	xsd:decimal
properties	isRef 0 use optional
source	<pre><xsd:attribute name="importe" type="xsd:decimal" use="optional"/></pre>

element **Fichero/CreditoGasto/Credito/RepartoCG**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosGastos
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	PorcentajeProvincia
source	<pre><xsd:element name="RepartoCG" minOccurs="0"> <xsd:complexType></pre>


```

<xsd:sequence maxOccurs="unbounded">
  <xsd:element name="PorcentajeProvincia">
    <xsd:complexType>
      <xsd:attribute name="provincia" type="xsd:string" use="required"/>
      <xsd:attribute name="porcentaje" type="xsd:string" use="required"/>
      <xsd:attribute name="importe" type="xsd:decimal" use="optional"/>
    </xsd:complexType>
  </xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

element Fichero/CreditoGasto/Credito/RepartoCG/PorcentajeProvincia

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosGastos					
properties	isRef	0	content	complex		
attributes	Name	Type	Use	Default	Fixed	annotation
	provincia	xsd:string	required			
	porcentaje	xsd:string	required			
	importe	xsd:decimal	optional			
source	<pre> <xsd:element name="PorcentajeProvincia"> <xsd:complexType> <xsd:attribute name="provincia" type="xsd:string" use="required"/> <xsd:attribute name="porcentaje" type="xsd:string" use="required"/> <xsd:attribute name="importe" type="xsd:decimal" use="optional"/> </xsd:complexType> </xsd:element> </pre>					

attribute Fichero/CreditoGasto/Credito/RepartoCG/PorcentajeProvincia/@provincia

type	xsd:string
properties	isRef 0 use required
source	<pre><xsd:attribute name="provincia" type="xsd:string" use="required"/></pre>

attribute Fichero/CreditoGasto/Credito/RepartoCG/PorcentajeProvincia/@porcentaje

type	xsd:string
properties	isRef 0 use required
source	<pre><xsd:attribute name="porcentaje" type="xsd:string" use="required"/></pre>

attribute **Fichero/CreditoGasto/Credito/RepartoCG/PorcentajeProvincia/@importe**

type	xsd:decimal
properties	isRef 0 use optional
source	<code><xsd:attribute name="importe" type="xsd:decimal" use="optional"/></code>

XML Schema documentation generated by [XMLSpy](http://www.altova.com/xmlspy) Schema Editor <http://www.altova.com/xmlspy>