


Schema XmlCreditosTablas.xsd

schema location: [XmlCreditosTablas.xsd](#)
attribute form default: **unqualified**
element form default: **qualified**
targetNamespace: <http://sgpfc.igae.minhac.es/Quanto/CreditosTablas>

Elements
[Estructura](#)

element Estructura

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
children	Subsectores Secciones Organicas CentrosCoste AreasGasto Politicas GruposPrograma Programas Subprogramas

[Capitulos](#) [Articulos](#) [Economicas](#) [ScotsPartidas](#) [Comunidades](#) [Provincias](#) [Agentes](#) [Entidades](#)

source

```
<xsd:element name="Estructura">
  <xsd:complexType>
    <xsd:choice>
      <xsd:element name="Subsectores" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
              <xsd:complexType>
                <xsd:simpleContent>
                  <xsd:extension base="xsd:string">
                    <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                    <xsd:attribute name="subsector" type="xsd:string" use="required"/>
                    <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
                  </xsd:extension>
                </xsd:simpleContent>
              </xsd:complexType>
            </xsd:element>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
      <xsd:element name="Secciones" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
              <xsd:complexType>
                <xsd:simpleContent>
                  <xsd:extension base="xsd:string">
                    <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                    <xsd:attribute name="seccion" type="xsd:string" use="required"/>
                    <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
                  </xsd:extension>
                </xsd:simpleContent>
              </xsd:complexType>
            </xsd:element>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
      <xsd:element name="Organicas" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
              <xsd:complexType>
                <xsd:simpleContent>
                  <xsd:extension base="xsd:string">
                    <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                    <xsd:attribute name="subsector" type="xsd:string" use="required"/>
                    <xsd:attribute name="seccion" type="xsd:string" use="required"/>
                    <xsd:attribute name="organismo" type="xsd:string" use="required"/>
                    <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
                  </xsd:extension>
                </xsd:simpleContent>
              </xsd:complexType>
            </xsd:element>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
    </xsd:choice>
  </xsd:complexType>
</xsd:element>
```

```

</xsd:complexType>
</xsd:element>
<xsd:element name="CentrosCoste" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="seccion" type="xsd:string" use="required"/>
              <xsd:attribute name="organismo" type="xsd:string" use="required"/>
              <xsd:attribute name="ccoste" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="AreasGasto" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="areagasto" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Políticas" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="areagasto" type="xsd:string" use="required"/>
              <xsd:attribute name="politica" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>

```

```

<xsd:element name="GruposPrograma" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="areagasto" type="xsd:string" use="required"/>
              <xsd:attribute name="politica" type="xsd:string" use="required"/>
              <xsd:attribute name="grupoprograma" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Programas" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="areagasto" type="xsd:string" use="required"/>
              <xsd:attribute name="politica" type="xsd:string" use="required"/>
              <xsd:attribute name="grupoprograma" type="xsd:string" use="required"/>
              <xsd:attribute name="programa" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Subprogramas" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="seccion" type="xsd:string" use="required"/>
              <xsd:attribute name="organismo" type="xsd:string" use="required"/>
              <xsd:attribute name="programa" type="xsd:string" use="required"/>
              <xsd:attribute name="subprograma" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>

```

```

</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Capitulos" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="tipo" type="xsd:string" use="required"/>
              <xsd:attribute name="capitulo" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Articulos" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="tipo" type="xsd:string" use="required"/>
              <xsd:attribute name="capitulo" type="xsd:string" use="required"/>
              <xsd:attribute name="articulo" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Economicas" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:extension base="xsd:string">
              <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
              <xsd:attribute name="seccion" type="xsd:string" use="optional"/>
              <xsd:attribute name="organismo" type="xsd:string" use="optional"/>
              <xsd:attribute name="tipo" type="xsd:string" use="required"/>
              <xsd:attribute name="capitulo" type="xsd:string" use="required"/>
              <xsd:attribute name="articulo" type="xsd:string" use="required"/>
              <xsd:attribute name="economica" type="xsd:string" use="required"/>
              <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
            </xsd:extension>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>

```

```

        </xsd:simpleContent>
    </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="SctosPartidas" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
                <xsd:complexType>
                    <xsd:simpleContent>
                        <xsd:extension base="xsd:string">
                            <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                            <xsd:attribute name="seccion" type="xsd:string" use="required"/>
                            <xsd:attribute name="organismo" type="xsd:string" use="required"/>
                            <xsd:attribute name="tipo" type="xsd:string" use="required"/>
                            <xsd:attribute name="capitulo" type="xsd:string" use="required"/>
                            <xsd:attribute name="articulo" type="xsd:string" use="required"/>
                            <xsd:attribute name="economica" type="xsd:string" use="required"/>
                            <xsd:attribute name="sctopartida" type="xsd:string" use="required"/>
                            <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
                        </xsd:extension>
                    </xsd:simpleContent>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Comunidades" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
                <xsd:complexType>
                    <xsd:simpleContent>
                        <xsd:extension base="xsd:string">
                            <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                            <xsd:attribute name="comunidad" type="xsd:string" use="required"/>
                            <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
                        </xsd:extension>
                    </xsd:simpleContent>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Provincias" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
                <xsd:complexType>
                    <xsd:simpleContent>
                        <xsd:extension base="xsd:string">
                            <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                            <xsd:attribute name="comunidad" type="xsd:string" use="required"/>
                            <xsd:attribute name="provincia" type="xsd:string" use="required"/>
                        </xsd:extension>
                    </xsd:simpleContent>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>


```

```


        <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
    </xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Agentes" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
                <xsd:complexType>
                    <xsd:simpleContent>
                        <xsd:extension base="xsd:string">
                            <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                            <xsd:attribute name="tipo" type="xsd:string" use="required"/>
                            <xsd:attribute name="capitulo" type="xsd:string" use="required"/>
                            <xsd:attribute name="articulo" type="xsd:string" use="required"/>
                            <xsd:attribute name="agente" type="xsd:string" use="required"/>
                            <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
                        </xsd:extension>
                    </xsd:simpleContent>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Entidades" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Registro" maxOccurs="unbounded">
                <xsd:complexType>
                    <xsd:simpleContent>
                        <xsd:extension base="xsd:string">
                            <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
                            <xsd:attribute name="tipo" type="xsd:string" use="required"/>
                            <xsd:attribute name="capitulo" type="xsd:string" use="required"/>
                            <xsd:attribute name="entidad" type="xsd:string" use="required"/>
                            <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
                        </xsd:extension>
                    </xsd:simpleContent>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
</xsd:choice>
</xsd:complexType>
</xsd:element>

```

element **Estructura/Subsectores**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
children	Registro
source	<pre> <xsd:element name="Subsectores" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="subsector" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

element **Estructura/Subsectores/Registro**

diagram																									
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas																								
type	extension of xsd:string																								
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>ejercicio</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>subsector</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>denominacion</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	ejercicio	xsd:string	required				subsector	xsd:string	required				denominacion	xsd:string	required			
Name	Type	Use	Default	Fixed	annotation																				
ejercicio	xsd:string	required																							
subsector	xsd:string	required																							
denominacion	xsd:string	required																							
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="subsector" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>																								

	</xsd:element>
--	----------------

element Estructura/Secciones

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
children	Registro
source	<pre><xsd:element name="Secciones" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="seccion" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element></pre>

element Estructura/Secciones/Registro

diagram																									
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas																								
type	extension of xsd:string																								
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>ejercicio</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>seccion</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>denominacion</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	ejercicio	xsd:string	required				seccion	xsd:string	required				denominacion	xsd:string	required			
Name	Type	Use	Default	Fixed	annotation																				
ejercicio	xsd:string	required																							
seccion	xsd:string	required																							
denominacion	xsd:string	required																							
source	<pre><xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="seccion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element></pre>																								

	<pre> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>
--	--

element Estructura/Organicas

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
children	Registro
source	<pre> <xsd:element name="Organicas" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="subsector" type="xsd:string" use="required"/> <xsd:attribute name="seccion" type="xsd:string" use="required"/> <xsd:attribute name="organismo" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

element Estructura/Organicas/Registro

diagram																																					
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas																																				
type	extension of xsd:string																																				
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>ejercicio</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>subsector</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>seccion</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>organismo</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>denominacion</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	ejercicio	xsd:string	required				subsector	xsd:string	required				seccion	xsd:string	required				organismo	xsd:string	required				denominacion	xsd:string	required			
Name	Type	Use	Default	Fixed	annotation																																
ejercicio	xsd:string	required																																			
subsector	xsd:string	required																																			
seccion	xsd:string	required																																			
organismo	xsd:string	required																																			
denominacion	xsd:string	required																																			

	ejercicio	xsd:string	required
	subsector	xsd:string	required
	seccion	xsd:string	required
	organismo	xsd:string	required
	denominacion	xsd:string	required
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="subsector" type="xsd:string" use="required"/> <xsd:attribute name="seccion" type="xsd:string" use="required"/> <xsd:attribute name="organismo" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>		

element Estructura/CentrosCoste

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
children	Registro
source	<pre> <xsd:element name="CentrosCoste" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="seccion" type="xsd:string" use="required"/> <xsd:attribute name="organismo" type="xsd:string" use="required"/> <xsd:attribute name="ccoste" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

element Estructura/CentrosCoste/Registro

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of xsd:string					
attributes	Name	Type	Use	Default	Fixed	annotation
	ejercicio	xsd:string	required			
	seccion	xsd:string	required			
	organismo	xsd:string	required			
	ccoste	xsd:string	required			
	denominacion	xsd:string	required			
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="seccion" type="xsd:string" use="required"/> <xsd:attribute name="organismo" type="xsd:string" use="required"/> <xsd:attribute name="ccoste" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>					

element Estructura/AreasGasto

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
children	Registro					
source	<pre> <xsd:element name="AreasGasto" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>					

```

        <xsd:attribute name="areagasto" type="xsd:string" use="required"/>
        <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
        </xsd:extension>
    </xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

element Estructura/AreasGasto/Registro

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of xsd:string					
attributes	Name	Type	Use	Default	Fixed	annotation
	ejercicio	xsd:string	required			
	areagasto	xsd:string	required			
	denominacion	xsd:string	required			
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="areagasto" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>					

element Estructura/Políticas

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
children	Registro					
source	<pre> <xsd:element name="Políticas" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> </pre>					

```

<xsd:complexType>
  <xsd:simpleContent>
    <xsd:extension base="xsd:string">
      <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
      <xsd:attribute name="areagasto" type="xsd:string" use="required"/>
      <xsd:attribute name="politica" type="xsd:string" use="required"/>
      <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

element Estructura/Políticas/Registro

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of xsd:string					
attributes	Name	Type	Use	Default	Fixed	annotation
	ejercicio	xsd:string	required			
	areagasto	xsd:string	required			
	politica	xsd:string	required			
	denominacion	xsd:string	required			
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="areagasto" type="xsd:string" use="required"/> <xsd:attribute name="politica" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>					

element **Estructura/GruposPrograma**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
children	Registro
source	<pre> <xsd:element name="GruposPrograma" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="areagasto" type="xsd:string" use="required"/> <xsd:attribute name="politica" type="xsd:string" use="required"/> <xsd:attribute name="grupoprograma" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

element **Estructura/GruposPrograma/Registro**

diagram																																					
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas																																				
type	extension of xsd:string																																				
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>ejercicio</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>areagasto</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>politica</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>grupoprograma</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>denominacion</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	ejercicio	xsd:string	required				areagasto	xsd:string	required				politica	xsd:string	required				grupoprograma	xsd:string	required				denominacion	xsd:string	required			
Name	Type	Use	Default	Fixed	annotation																																
ejercicio	xsd:string	required																																			
areagasto	xsd:string	required																																			
politica	xsd:string	required																																			
grupoprograma	xsd:string	required																																			
denominacion	xsd:string	required																																			
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> </pre>																																				

	<pre> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="areagasto" type="xsd:string" use="required"/> <xsd:attribute name="politica" type="xsd:string" use="required"/> <xsd:attribute name="grupoprograma" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>
--	---

element Estructura/Programas

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
children	Registro
source	<pre> <xsd:element name="Programas" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="areagasto" type="xsd:string" use="required"/> <xsd:attribute name="politica" type="xsd:string" use="required"/> <xsd:attribute name="grupoprograma" type="xsd:string" use="required"/> <xsd:attribute name="programa" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

element **Estructura/Programas/Registro**

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of xsd:string					
attributes	Name	Type	Use	Default	Fixed	annotation
	ejercicio	xsd:string	required			
	areagasto	xsd:string	required			
	politica	xsd:string	required			
	grupoprograma	xsd:string	required			
	programa	xsd:string	required			
	denominacion	xsd:string	required			
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="areagasto" type="xsd:string" use="required"/> <xsd:attribute name="politica" type="xsd:string" use="required"/> <xsd:attribute name="grupoprograma" type="xsd:string" use="required"/> <xsd:attribute name="programa" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>					

element **Estructura/Subprogramas**

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
children	Registro					
source	<pre> <xsd:element name="Subprogramas" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> </pre>					

```

<xsd:complexType>
  <xsd:simpleContent>
    <xsd:extension base="xsd:string">
      <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
      <xsd:attribute name="seccion" type="xsd:string" use="required"/>
      <xsd:attribute name="organismo" type="xsd:string" use="required"/>
      <xsd:attribute name="programa" type="xsd:string" use="required"/>
      <xsd:attribute name="subprograma" type="xsd:string" use="required"/>
      <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

element Estructura/Subprogramas/Registro

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of xsd:string					
attributes	Name	Type	Use	Default	Fixed	annotation
	ejercicio	xsd:string	required			
	seccion	xsd:string	required			
	organismo	xsd:string	required			
	programa	xsd:string	required			
	subprograma	xsd:string	required			
	denominacion	xsd:string	required			
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="seccion" type="xsd:string" use="required"/> <xsd:attribute name="organismo" type="xsd:string" use="required"/> <xsd:attribute name="programa" type="xsd:string" use="required"/> <xsd:attribute name="subprograma" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>					

```

</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
</xsd:element>

```

element Estructura/Capitulos

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
children	Registro
source	<pre> <xsd:element name="Capitulos" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="tipo" type="xsd:string" use="required"/> <xsd:attribute name="capitulo" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

element Estructura/Capitulos/Registro

diagram																									
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas																								
type	extension of xsd:string																								
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>ejercicio</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>tipo</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>capitulo</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	ejercicio	xsd:string	required				tipo	xsd:string	required				capitulo	xsd:string	required			
Name	Type	Use	Default	Fixed	annotation																				
ejercicio	xsd:string	required																							
tipo	xsd:string	required																							
capitulo	xsd:string	required																							

	denominacion xsd:string required
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="tipo" type="xsd:string" use="required"/> <xsd:attribute name="capitulo" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>

element Estructura/Articulos

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
children	Registro
source	<pre> <xsd:element name="Articulos" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="tipo" type="xsd:string" use="required"/> <xsd:attribute name="capitulo" type="xsd:string" use="required"/> <xsd:attribute name="articulo" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

element **Estructura/Articulos/Registro**

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of xsd:string					
attributes	Name	Type	Use	Default	Fixed	annotation
	ejercicio	xsd:string	required			
	tipo	xsd:string	required			
	capitulo	xsd:string	required			
	articulo	xsd:string	required			
	denominacion	xsd:string	required			
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="tipo" type="xsd:string" use="required"/> <xsd:attribute name="capitulo" type="xsd:string" use="required"/> <xsd:attribute name="articulo" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>					

element **Estructura/Economicas**

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
children	Registro					
source	<pre> <xsd:element name="Economicas" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>					

```

<xsd:attribute name="seccion" type="xsd:string" use="optional"/>
<xsd:attribute name="organismo" type="xsd:string" use="optional"/>
<xsd:attribute name="tipo" type="xsd:string" use="required"/>
<xsd:attribute name="capitulo" type="xsd:string" use="required"/>
<xsd:attribute name="articulo" type="xsd:string" use="required"/>
<xsd:attribute name="economica" type="xsd:string" use="required"/>
<xsd:attribute name="denominacion" type="xsd:string" use="required"/>
</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

element Estructura/Economicas/Registro


diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of xsd:string					
attributes	Name	Type	Use	Default	Fixed	annotation
	ejercicio	xsd:string	required			
	seccion	xsd:string	optional			
	organismo	xsd:string	optional			
	tipo	xsd:string	required			
	capitulo	xsd:string	required			
	articulo	xsd:string	required			
	economica	xsd:string	required			
	denominacion	xsd:string	required			
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="seccion" type="xsd:string" use="optional"/> </pre>					

	<pre> <xsd:attribute name="organismo" type="xsd:string" use="optional"/> <xsd:attribute name="tipo" type="xsd:string" use="required"/> <xsd:attribute name="capitulo" type="xsd:string" use="required"/> <xsd:attribute name="articulo" type="xsd:string" use="required"/> <xsd:attribute name="economica" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>
--	--


element **Estructura/SctosPartidas**

diagram	<pre> classDiagram class SctosPartidas { } class Registro { } SctosPartidas "1" -- "1..∞" Registro </pre>
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
children	Registro
source	<pre> <xsd:element name="SctosPartidas" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="seccion" type="xsd:string" use="required"/> <xsd:attribute name="organismo" type="xsd:string" use="required"/> <xsd:attribute name="tipo" type="xsd:string" use="required"/> <xsd:attribute name="capitulo" type="xsd:string" use="required"/> <xsd:attribute name="articulo" type="xsd:string" use="required"/> <xsd:attribute name="economica" type="xsd:string" use="required"/> <xsd:attribute name="sctopartida" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>


element **Estructura/SctosPartidas/Registro**

<p>diagram</p>						
<p>namespace</p>	<p>http://sgpfc.igae.minhac.es/Quanto/CreditosTablas</p>					
<p>type</p>	<p>extension of xsd:string</p>					
<p>attributes</p>	<p>Name</p>	<p>Type</p>	<p>Use</p>	<p>Default</p>	<p>Fixed</p>	<p>annotation</p>
	<p>ejercicio</p>	<p>xsd:string</p>	<p>required</p>			
	<p>seccion</p>	<p>xsd:string</p>	<p>required</p>			
	<p>organismo</p>	<p>xsd:string</p>	<p>required</p>			
	<p>tipo</p>	<p>xsd:string</p>	<p>required</p>			
	<p>capitulo</p>	<p>xsd:string</p>	<p>required</p>			
	<p>articulo</p>	<p>xsd:string</p>	<p>required</p>			
	<p>economica</p>	<p>xsd:string</p>	<p>required</p>			
	<p>sctopartida</p>	<p>xsd:string</p>	<p>required</p>			
	<p>denominacion</p>	<p>xsd:string</p>	<p>required</p>			
<p>source</p>	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="seccion" type="xsd:string" use="required"/> <xsd:attribute name="organismo" type="xsd:string" use="required"/> <xsd:attribute name="tipo" type="xsd:string" use="required"/> <xsd:attribute name="capitulo" type="xsd:string" use="required"/> <xsd:attribute name="articulo" type="xsd:string" use="required"/> <xsd:attribute name="economica" type="xsd:string" use="required"/> <xsd:attribute name="sctopartida" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>					

element **Estructura/Comunidades**

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
children	Registro
source	<pre> <xsd:element name="Comunidades" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="comunidad" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

element **Estructura/Comunidades/Registro**

diagram																									
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas																								
type	extension of xsd:string																								
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>ejercicio</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>comunidad</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>denominacion</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	ejercicio	xsd:string	required				comunidad	xsd:string	required				denominacion	xsd:string	required			
Name	Type	Use	Default	Fixed	annotation																				
ejercicio	xsd:string	required																							
comunidad	xsd:string	required																							
denominacion	xsd:string	required																							
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="comunidad" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </pre>																								

</xsd:element>

element Estructura/Provincias

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
children	Registro
source	<pre><xsd:element name="Provincias" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="comunidad" type="xsd:string" use="required"/> <xsd:attribute name="provincia" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element></pre>

element Estructura/Provincias/Registro

diagram																															
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas																														
type	extension of xsd:string																														
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>ejercicio</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>comunidad</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>provincia</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>denominacion</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	ejercicio	xsd:string	required				comunidad	xsd:string	required				provincia	xsd:string	required				denominacion	xsd:string	required			
Name	Type	Use	Default	Fixed	annotation																										
ejercicio	xsd:string	required																													
comunidad	xsd:string	required																													
provincia	xsd:string	required																													
denominacion	xsd:string	required																													
source	<pre><xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType></pre>																														

	<pre> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="comunidad" type="xsd:string" use="required"/> <xsd:attribute name="provincia" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>
--	---

element Estructura/Agentes

diagram	
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas
children	Registro
source	<pre> <xsd:element name="Agentes" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="tipo" type="xsd:string" use="required"/> <xsd:attribute name="capitulo" type="xsd:string" use="required"/> <xsd:attribute name="articulo" type="xsd:string" use="required"/> <xsd:attribute name="agente" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

element Estructura/Agentes/Registro

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
type	extension of xsd:string					
attributes	Name	Type	Use	Default	Fixed	annotation
	ejercicio	xsd:string	required			
	tipo	xsd:string	required			
	capitulo	xsd:string	required			
	articulo	xsd:string	required			
	agente	xsd:string	required			
	denominacion	xsd:string	required			
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="tipo" type="xsd:string" use="required"/> <xsd:attribute name="capitulo" type="xsd:string" use="required"/> <xsd:attribute name="articulo" type="xsd:string" use="required"/> <xsd:attribute name="agente" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>					

element Estructura/Entidades

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas					
children	Registro					
source	<pre> <xsd:element name="Entidades" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> </pre>					

```

<xsd:complexType>
  <xsd:simpleContent>
    <xsd:extension base="xsd:string">
      <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
      <xsd:attribute name="tipo" type="xsd:string" use="required"/>
      <xsd:attribute name="capitulo" type="xsd:string" use="required"/>
      <xsd:attribute name="entidad" type="xsd:string" use="required"/>
      <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

element **Estructura/Entidades/Registro**

diagram																																					
namespace	http://sgpfc.igae.minhac.es/Quanto/CreditosTablas																																				
type	extension of xsd:string																																				
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>ejercicio</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>tipo</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>capitulo</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>entidad</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>denominacion</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	ejercicio	xsd:string	required				tipo	xsd:string	required				capitulo	xsd:string	required				entidad	xsd:string	required				denominacion	xsd:string	required			
Name	Type	Use	Default	Fixed	annotation																																
ejercicio	xsd:string	required																																			
tipo	xsd:string	required																																			
capitulo	xsd:string	required																																			
entidad	xsd:string	required																																			
denominacion	xsd:string	required																																			
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:simpleContent> <xsd:extension base="xsd:string"> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="tipo" type="xsd:string" use="required"/> <xsd:attribute name="capitulo" type="xsd:string" use="required"/> <xsd:attribute name="entidad" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:extension> </xsd:simpleContent> </xsd:complexType> </xsd:element> </pre>																																				

XML Schema documentation generated by [XMLSpy](http://www.altova.com/xmlspy) Schema Editor <http://www.altova.com/xmlspy>