

Schema XmlEscenariosTablas.xsd

schema location: [XmlEscenariosTablas.xsd](#)
 attribute form default: **unqualified**
 element form default: **qualified**
 targetNamespace: **http://sgpfc.igae.minhac.es/Quanto/EscenariosTablas**

Elements
[Estructura](#)

element Estructura

diagram	<p>The diagram illustrates the structure of the 'Estructura' element. It is a container element that holds a choice of three child elements: 'Rubricas', 'Partidas', and 'Epigrafes'. Each child element is shown in a dashed box, indicating that it is optional (minOccurs='0'). The 'Estructura' element itself is shown with a solid box and a plus sign, indicating it is required (minOccurs='1').</p>
namespace	http://sgpfc.igae.minhac.es/Quanto/EscenariosTablas
children	Rubricas Partidas Epigrafes
source	<pre> <xsd:element name="Estructura"> <xsd:complexType> <xsd:choice> <xsd:element name="Rubricas" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="rubrica" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> <xsd:element name="Partidas" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="tipo" type="xsd:string" use="required"/> <xsd:attribute name="partida" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> <xsd:attribute name="seccion" type="xsd:string" use="required"/> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </xsd:choice> </xsd:complexType> </xsd:element> </pre>

```

</xsd:element>
<xsd:element name="Epigrafes" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Registro" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:attribute name="ejercicio" type="xsd:string" use="required"/>
          <xsd:attribute name="tipoepigrafe" type="xsd:string"/>
          <xsd:attribute name="epigrafe" type="xsd:string" use="required"/>
          <xsd:attribute name="denominacion" type="xsd:string" use="required"/>
          <xsd:attribute name="subsector" type="xsd:string"/>
          <xsd:attribute name="seccion" type="xsd:string"/>
          <xsd:attribute name="organismo" type="xsd:string"/>
          <xsd:attribute name="tipo" type="xsd:string"/>
          <xsd:attribute name="capitulo" type="xsd:string"/>
          <xsd:attribute name="rubrica" type="xsd:string"/>
          <xsd:attribute name="partida" type="xsd:string" use="required"/>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
</xsd:choice>
</xsd:complexType>
</xsd:element>

```

element Estructura/Rubricas

diagram	<pre> classDiagram class Rubricas class Registro Rubricas --> Registro Registro --> Registro : 1..∞ </pre>
namespace	http://sgpfc.igae.minhac.es/Quanto/EscenariosTablas
children	Registro
source	<pre> <xsd:element name="Rubricas" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="rubrica" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>

element Estructura/Rubricas/Registro

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/EscenariosTablas					
attributes	Name	Type	Use	Default	Fixed	annotation
	ejercicio	xsd:string	required			
	rubrica	xsd:string	required			
	denominacion	xsd:string	required			
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="rubrica" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> </xsd:complexType> </xsd:element> </pre>					

element Estructura/Partidas

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/EscenariosTablas					
children	Registro					
source	<pre> <xsd:element name="Partidas" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="tipo" type="xsd:string" use="required"/> <xsd:attribute name="partida" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> <xsd:attribute name="seccion" type="xsd:string" use="required"/> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>					

element Estructura/Partidas/Registro

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/EscenariosTablas					
attributes	Name	Type	Use	Default	Fixed	annotation
	ejercicio	xsd:string	required			
	tipo	xsd:string	required			
	partida	xsd:string	required			
	denominacion	xsd:string	required			
	seccion	xsd:string	required			
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="tipo" type="xsd:string" use="required"/> <xsd:attribute name="partida" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> <xsd:attribute name="seccion" type="xsd:string" use="required"/> </xsd:complexType> </xsd:element> </pre>					

element Estructura/Epigrafs

diagram						
namespace	http://sgpfc.igae.minhac.es/Quanto/EscenariosTablas					
children	Registro					
source	<pre> <xsd:element name="Epigrafs" minOccurs="0"> <xsd:complexType> <xsd:sequence> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="tipoepigrafe" type="xsd:string"/> <xsd:attribute name="epigrafe" type="xsd:string" use="required"/> <xsd:attribute name="denominacion" type="xsd:string" use="required"/> <xsd:attribute name="subsector" type="xsd:string"/> <xsd:attribute name="seccion" type="xsd:string"/> <xsd:attribute name="organismo" type="xsd:string"/> <xsd:attribute name="tipo" type="xsd:string"/> </xsd:complexType> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> </pre>					

```

<xsd:attribute name="capitulo" type="xsd:string"/>
<xsd:attribute name="rubrica" type="xsd:string"/>
<xsd:attribute name="partida" type="xsd:string" use="required"/>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

element Estructura/Epigrafs/Registro

diagram																																																																									
namespace	http://sgpfc.igae.minhac.es/Quanto/EscenariosTablas																																																																								
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>ejercicio</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>tipoepigrafe</td> <td>xsd:string</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>epigrafe</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>denominacion</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>subsector</td> <td>xsd:string</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>seccion</td> <td>xsd:string</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>organismo</td> <td>xsd:string</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>tipo</td> <td>xsd:string</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>capitulo</td> <td>xsd:string</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>rubrica</td> <td>xsd:string</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>partida</td> <td>xsd:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	annotation	ejercicio	xsd:string	required				tipoepigrafe	xsd:string					epigrafe	xsd:string	required				denominacion	xsd:string	required				subsector	xsd:string					seccion	xsd:string					organismo	xsd:string					tipo	xsd:string					capitulo	xsd:string					rubrica	xsd:string					partida	xsd:string	required			
Name	Type	Use	Default	Fixed	annotation																																																																				
ejercicio	xsd:string	required																																																																							
tipoepigrafe	xsd:string																																																																								
epigrafe	xsd:string	required																																																																							
denominacion	xsd:string	required																																																																							
subsector	xsd:string																																																																								
seccion	xsd:string																																																																								
organismo	xsd:string																																																																								
tipo	xsd:string																																																																								
capitulo	xsd:string																																																																								
rubrica	xsd:string																																																																								
partida	xsd:string	required																																																																							
source	<pre> <xsd:element name="Registro" maxOccurs="unbounded"> <xsd:complexType> <xsd:attribute name="ejercicio" type="xsd:string" use="required"/> <xsd:attribute name="tipoepigrafe" type="xsd:string"/> <xsd:attribute name="epigrafe" type="xsd:string" use="required"/> </pre>																																																																								

```
<xsd:attribute name="denominacion" type="xsd:string" use="required"/>
<xsd:attribute name="subsector" type="xsd:string"/>
<xsd:attribute name="seccion" type="xsd:string"/>
<xsd:attribute name="organismo" type="xsd:string"/>
<xsd:attribute name="tipo" type="xsd:string"/>
<xsd:attribute name="capitulo" type="xsd:string"/>
<xsd:attribute name="rubrica" type="xsd:string"/>
<xsd:attribute name="partida" type="xsd:string" use="required"/>
</xsd:complexType>
</xsd:element>
```